

ACCOUNT APPLICATION

Please complete and return to accounts@rawskips.com.au

You will not be able to collect materials or dispose of waste without a valid account.

Account Details:

Company Name: _____

ABN Number: _____

Person completing form: _____

Accounts contact number: _____

Accounts payable email address: _____

Client Authorization Name: _____

Client Authorization Signature: _____

Date: _____

Vehicle Details:

VEHICLE REGISTRATION	TARE WEIGHT (T)

- if additional vehicles are required please attach an additional sheet
- At least 24 hours' notice is required for vehicles to be registered and permitted to enter the site.
- By applying for an account you acknowledge that you have read and understood the Recycled Materials Classification Document and agree to all terms and conditions set out in that document.

CABOOLTURE RESOURCE RECOVERY SITE DETAILS

ADDRESS	870 – 996 PUMICESTONE ROAD, CABOOLTURE ENTER VIA SIMPSON ROAD, OFF PUMICESTONE ROAD Google Maps Link
OPENING HOURS	MONDAY TO FRIDAY: 5.30AM TILL 2PM SATURDAYS: 7AM TILL 12PM SUNDAYS & PUBLIC HOLIDAYS: CLOSED
SITE SAFETY	<p>WARNING: GUARD DOGS ON SITE</p> <p>PPE REQUIREMENTS:</p> <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;">  <p>Hi-vis clothing must be worn at all times</p> </div> <div style="text-align: center;">  <p>Safety boots must be worn</p> </div> </div>
UHF CHANNEL	PLEASE MAKE POSITIVE CONTACT ON UHF 20 BEFORE ENTERING SITE AND WAIT FOR INSTRUCTIONS TO ENTER
SITE CONTACTS	WEIGHBRIDGE (RICKY) – 07 3063 1345 or 0455 466 735 MAIN OFFICE – (07) 3878 7533

**ALWAYS CALL OR EMAIL BEFORE
YOU ARRIVE ON SITE**

07 3063 3145

OR

wb.caboolture@akmearth.com

SITE INSTRUCTIONS

BEFORE ENTERING

- Contact weighbridge on UHF Channel 20 and wait for permission to enter

AT THE WEIGHBRIDGE (ENTRY)

Stop at the window and provide:

- Customer name (who you're collecting for)
- Truck rego
- Driver name
- Product type (e.g., Dust, 10mm, 20mm)
- Purchase order number (if applicable)

The operator will direct you to the loading/tipping area.

BEFORE LEAVING

- Return to the weighbridge after loading/tipping
- Stop at the steel cabinet on the drivers side as you exit site and wait for your docket
- Exit site once docket is issued

UHF 19 - YARD & PLANT

UHF 20 - WEIGHBRIDGE & TRUCKS

AKM EARTH CABOOLTURE
870-996 PUMICESTONE ROAD, CABOOLTURE

Timber Shredding



INCOMING DISPOSAL

CLASSIFICATION & SCHEDULE OF RATES

(Current As Of 21 January 2026)

Classification	Material Description	Rate / tonne (ex gst)
CLEAN CONCRETE*	<p>Concrete containing less than 5% fines and does not contain any other material. Can include concrete Besser Blocks, concrete roof tiles, and reinforcing steel.</p> <p>Size must be less than 700mm x 700mm otherwise the load will be classified as oversize.</p>	\$20
DIRTY CONCRETE*	<p>Concrete that contains between 5% and 25% fines and does not contain any other material. Can include concrete Besser Blocks, concrete roof tiles, and reinforcing steel.</p> <p>Concrete with greater than 25% fines will be classified as C&D Waste.</p> <p>Size must be less than 700mm x 700mm otherwise the load will be classified as oversize.</p>	\$34
CLEAN MIXED CONCRETE & BRICK*	<p>Concrete and brick containing less than 5% fines and does not contain any other material. Can include concrete Besser Blocks, concrete roof tiles, and reinforcing steel.</p>	\$26
DIRTY MIXED CONCRETE & BRICK*	<p>Concrete and brick that contains between 5% and 25% fines and does not contain any other material.</p> <p>Concrete with greater than 25% fines will be classified as C&D Waste.</p>	\$44
CLEAN OVERSIZE CONCRETE*	<p>Concrete containing less than 5% fines and does not contain any other material. Can include concrete Besser Blocks, concrete roof tiles, and reinforcing steel.</p> <p>Size greater than 700mm in any one dimension that can be carried and unloaded by a tipper.</p>	\$34
DIRTY OVERSIZE CONCRETE*	<p>Concrete that contains between 5% and 25% fines and does not contain any other material. Can include concrete Besser Blocks, concrete roof tiles, and reinforcing steel.</p> <p>Size greater than 700mm in any one dimension that can be carried and unloaded by a tipper.</p>	\$58
CLEAN ROADBASE*	Uncontaminated manufactured road-base material less than 22mm and does not contain any other material.	\$20
CLEAN ROCK*	<p>Natural rock such as but not limited to limestone or shale with less than 5% fines and does not contain any other material.</p> <p>Size must be less than 700mm x 700mm otherwise the load will be classified as oversize.</p>	\$20
DIRTY ROCK*	<p>Natural rock such as but not limited to limestone or shale with between 5% and 25% fines and does not contain any other material.</p> <p>Greater than 25% fines will be classified as C&D Waste.</p> <p>Size must be less than 700mm x 700mm otherwise the load will be classified as oversize.</p>	\$34

CLEAN OVERSIZED ROCK*	Natural rock such as but not limited to limestone or shale with less than 5% fines and does not contain any other material. Size greater than 700mm in any one dimension that can be carried and unloaded by a tipper.	\$34
DIRTY OVERSIZED ROCK*	Natural rock such as but not limited to limestone or shale with between 5% and 25% fines and does not contain any other material. Greater than 25% fines will be classified as C&D Waste. Size greater than 700mm in any one dimension that can be carried and unloaded by a tipper.	\$58
CONSTRUCTION & DEMOLITION (C&D) WASTE	All materials not classified as: - clean concrete, dirty concrete, clean oversized concrete, dirty oversized concrete - clean mixed concrete & brick or dirty mixed concrete & brick - clean oversize rock or dirty oversize rock - clean or dirty rock - clean roadbase - plasterboard	\$1000

*** Any contamination, including but not limited to plastic, timber and cloth will be classified as C&D Waste and will result in the entire load being charged at the C&D Rate.**

The following wastes are unacceptable at our facility and will not be accepted under any circumstances:

- Combustible waste including but not limited to stored energy devices (e.g. batteries, powder-actuated charges, flares) or pressure vessels (e.g. gas bottles)
- Cold room panels
- General waste destined for landfill
- Hazardous waste and/or regulated waste (e.g. asbestos, contaminated soil, grease trap waste, lead compounds)
- PFAS
- Liquids (e.g. paint, oils or slurries etc)
- Putrescible waste (e.g. food waste)
- Solar panels
- Powders (such as cement powder or silica dust)
- Green waste
- Polystyrene

General Notes:

- A minimum charge of \$100 plus gst per transaction will apply
- All prices are ex-gst
- Pricing is current as of date of issue and is subject to change without notice
- Quoted prices are based on payment being received in accordance with approved trading terms
- Should a cubic meter rate need to be applied, the charge will be based on the following:
 - Truck & Quad: 18 tonnes
 - Truck & Dog: 16 tonnes
 - Semi Tipper: 15 tonnes
 - Body Truck: 8 tonnes
- By applying for a credit account you acknowledge that you have read and understood all terms, conditions and material classifications contained within this document

RECYCLED MATERIALS AVAILABLE FOR SALE

CLASSIFICATION & SCHEDULE OF RATES

(Current As Of 21 January 2026)

Classification	Material Description	Approx Loose Density	Rate / tonne (ex gst)
Crusher Dust <i>[stock of this product is limited. Please <u>call</u> ahead to avoid disappointment]</i>	Comprises of concrete, rock and brick fines. Ideal for: <ul style="list-style-type: none">Preparation of concrete slabsPaving preparationPipe BeddingBeneath Synthetic Turf	1.9 tonnes per m ³	\$20
10mm Aggregate <i>[stock of this product is limited. Please <u>call</u> ahead to avoid disappointment]</i>	Recycled aggregates screened at 12mm Ideal for: <ul style="list-style-type: none">Drainage or concrete aggregateRoadbaseFill materialBeddingSewer and water pipes	1.3 tonnes per m ³	\$30
20mm Aggregate <i>[stock of this product is limited. Please <u>call</u> ahead to avoid disappointment]</i>	Recycled aggregates screened at 22mm Ideal for: <ul style="list-style-type: none">Rock or block retaining wallsUnder concrete as a drainage layer	1.3 tonnes per m ³	\$27
Roadbase 2.3 (CBR45) <i>[stock of this product is limited. Please <u>call</u> ahead to avoid disappointment]</i>	Crushed concrete suitable for roads, driveways and slabs Ideal for: <ul style="list-style-type: none">Sub-baseShedsLight fill	1.9 tonnes per m ³	\$26
Gypsum	Gypsum screened at 10mm Ideal for use as a soil conditioner	n/a	\$65
8mm Minus	Manufactured soil blend derived from waste products. Consists of recycled timber fines, compost, and loam.	n/a	FREE ISSUE
Screened Topsoil	Screened soil suitable for garden beds and under turf.	n/a	\$25

General Notes:

- All orders are subject to availability. Please call the weighbridge (07 3063 1345) to confirm availability.
- A minimum charge of \$100 plus gst per transaction will apply
- All prices are ex-gst
- Pricing is current as of date of issue and is subject to change without notice
- Quoted rates are based on payment being received in accordance with approved trading terms
- By applying for a credit account you acknowledge that you have read and understood all terms, conditions and material classifications contained within this document